



## PRESS RELEASE

**Date:** September 8, 2022  
**Contact:** Doyle Sanford, Building Official/Fire Marshal  
**Phone:** 360.740.2696  
**Release #:** 2

### Lewis County Fire Safety

With the impending warm weather this weekend, the Lewis County Fire Marshal wants to remind residents of Lewis County to remain diligent with fire safety. The current burn restrictions will remain in place. Please use this as a reminder that the current dry conditions create a high fire danger and with predicted winds, fires can spread rapidly.

No burn permits are valid at this time. Recreational campfires in designated campgrounds and on private lands, if built in the following manner, are allowable:

- The campfire shall be no greater than 3-feet in diameter and have a ring constructed of metal, stone or brick 8-inches above surface with a 2-foot wide area cleared down to exposed soil surrounding the outside of the pit.
- The campfire shall have an area at least 10-feet around it cleared of all flammable material and at least 20-feet of clearance from overhead flammable materials or fuels.
- The campfire must be attended at all times by a responsible person at least 16-years old with the ability to extinguish the fire with a shovel and a 5-gallon bucket of water or with a connected and charged
- Completely extinguish campfires by pouring water or moist soil in them and stirring with a shovel until all parts are cool to the touch. The use of self-contained camp stoves is encouraged as an alternative.

**The current burn ban will be in place until the conditions improve. All land clearing, residential and silvicultural burning remain restricted until further notice.**

For further information concerning outdoor burning and/or the restrictions being imposed, please contact Doyle Sanford, Lewis County Fire Marshal, at (360) 740-2696. The Fire Marshal's office is in the Lewis County Public Services building, located at 2025 NE Kresky Avenue, Chehalis, Washington.

<https://lewiscountywa.gov/departments/community-development/>